

Nothing says Quality like the 1960 De Soto



Adventurer 4-door hardtop You demand a distinctive automobile that still is easy to get in and out of and has room for the entire family. You demand the Adventurer 4-deer hardtop! It has inches more room inside (as much room as the (Adoor sedan!) and all the rlamour of the maric name "Adventurer."







Fireflite 4-door hardtop


When you take delivery of this great new style leader, you know you are providing your family with the ultimate in safe, secure metoring as well as heautiful design. Compared with its 1939 counterpart, its lumper-tohumper length is less than last year, yet it has inches more room inside!



Fireflite 4-door sedan

There is more true value than ever in this brilliant new Fireflite...yet it is priced significantly lower than any Fireflite in recent memory. This is the finest in a generation of fine cars... and still this new 4-door sedian is the lowest priced 1900 De Soto of all!

# The stronger, quieter De Soto Unibody... most significant quality advance in a decade



nates... trame sole rain sould disappear with no toos of protection... interior reominess, comfort and roadability could all be greatly increased. Perhaps most important of all, a welded single-giore boly-frame unit resulted in tremendously increased strength for the entire ear. And the cut stayed strong, silett and rattle-free for years. It was a better, safer our when it was new and for as bug as armore would drive it.

It took years of research and development to make such a system both protited and acceptable to the tough quality standards of Chrysler Ceppration engineers. For 1900, De Soto introduces the Unibudy, esolution in our price elasts. It has 40% greater resistance to up and down stresses and 100% greater resistance to twist. It is everthing we horsel for—and never!

### Now...a ride never before

You will notice the difference the moment the car begin to move. There is a new success and steadiness. You will feel the great strength and safety in the first, solid way it smooths the bumps—the flat, ground-gripping way it glides around sharp curren. Unifiedly has helped make this possible—but it's more than that ... it's Unifody is conshiration mith Thersion-Aire Ride that has worked this mirrade.

available at any price

make such

Other cars (mostly small cars) have unit hodies. Other
cars (mostly European cars) have tession have suspensize. But only De Ston in its field consider Unholosy,
c, contained
to the first of the first

### More good news about

the unitized body.

Head room and leg room have both been increased.
This alone would make the ear more cenfortable. But
that's only part of the story. The additional room has
allowed us to make your seating posture more natural
and more confortable.

To make getting in and out easier than ever, door pillars have been redesigned and repositioned, and the doors open wider.

Some of our engineers think the thing you'll notice most is the '60 De Soto is the almost complete lack of noise, even at cruzing speech. The new Unliabely itself plays a part in this, along with more insulation in more places which is now possible with Unliabely. This is important to you for more reasons than you may think. It is a fart that noise in erre-reaction. Noise from the engine and the road in an ordinary car is one of the most important causes of fatigue. The lack of noise in a 1960 De Soto means you can drive further and arrive feeling fresher.

Tighter sealing of windows and doors is now possible, to keep your new De Seto warmer in wister and dry in the most driving rain. Sealers and weatherstripping have been improved in quality, too. And Unibody is easier to inspect, simpler to repair. This saves you time and mores.

Protection against rust and corrosion has been revolationized. Each underbody is dipped seven times in ruspeosing chemicals and protective coatings. This means longer life for your new DeScto.

Feature for feature, the 1960 De Soto Unihody offers you a new quality combination that simply cannot be equaled. And it's standard equipment on every new De Soto at no extra cost.













ULTRA-FI RECORD CHANGER

THRU WAY AUTO-PURT on the highway and resistains that speed even on fully in too touch on the beaker records through the our's radio appolition and speaker system, lets you enjoy up to disengages it). Oft . . . you can pre-set two hours of high fidelity music, Load the maximum speed you wish to drive in or unload it with one hand, as easily as the city and Auto-Pilot warms you when that speed is reached.

Lets you set the speed you want to drive

ALSFASON AIR CONDITIONIN (entirely under the bood so it takes up signal sensitivity than ever. Transistors surgers, removes excess moisture as well out! Publication cognited, Rear seat as diet, dest and rollen from incoming angeler and deal year fender automas air. Improved efficiency at all speeds. also available.

the year 'round. High capacity unit wall tremisterized receiver has greater

CALLLY PARKED INCLINIOUS PARKET as it is practical. Safety pad is a thick with color-keyed viryl to harmonize Adventurer models.

Electronically losers your headlights when a car approaches (or when you

batton to turn on or off, select blower speeds, control vent and defrostingdisturb nighttime visibility. Filters out radio. For night driving, buttons are large rear window.

More efficient than ever, just touch a

stack in serow, ice or mad. Sure-Gripdifferential transfers power from the slipping wheel to the wheel that has traction so no power is lost . . . sets

OTHER DESIRABLE ACCESSORIES

### opening or closing a drawer. Nothing says quality and convenience like De Soto optional equipment

Touch a batton for spring-like weather. As new as 1960, this powerful \$16



DAM PHADOE ENGINE For brilliant responsiveness in the middle-speed range and safer highest passing. De Soto offers the Ram Charge engine . . . an

entirely new concept for a passenger car. The rum induction principle utilized in this engine is based on developments proved in years of Chrysler Corporation engineering research and in supercharged racing cars. It literally runs air and fuel into the cylinders when you need maximum performance. Yet, unlike conventional superchargers, there are no complicated moving parts. This new high-performance engine has two four-burrel carburetors and special "tuned" manifold pines which create a

compressor-like effect. The De Soto Ram Charge engine is a limited production option, available at extra cost on Adventurer models only.



range equal to any situation.

Change either Samed Torquelite. Possible the greatest driving work. Led the touch of your ter brings the Torch a bottom and the windows on One hash lett you select the most con- Mounted far forward so you can see. Adjust with a touch for (1) daysing Classical and all Adventures required in greater current work of the control your or compare now, and a some no the works of the control of t or Asserd Powerline Both one made, effort about 20% Ven can literally. A market control panel moves up, down, forward, both tills in fully editable from inside the car or (3) mighting driving with bright better corrected, proved in billions of park with one finger and concentrate women and younger drivers because lets you operate any window in the car toward or away from the wheel. You -a hig safety factor when both has

better control on the road, too.

CONSTANT CONTROL POWER STEERING TOTAL CONTACT POWER BRAKES

wiles at drivine. But offer mick, on where the ear is only branche you nower brakes are so effection to use. Iron the driver's sont A senurate con- can change sent positions safely com- hand and wife drive and need different

applied more quickly.

E-WAY POWER SEAT mess of a strong on our quite, and a strong seeds "fight" the wheel. Gives you They're safer, too, because they can be tred button is also lecated below each white the car is moving. Available mirror settings. Handy new stick does not obstruct wisefulness, less you window. The list word in convenience! with regular seats or swind seats. control makes adjustment emier.

mounting makes it easier to reach,

DIM SPEED BEAR WHILEW DEFINISER New two-speed blower unit lets you quickly, prevents window from stram-

Daal-tone speaker (1) provides easier the weather conditions. Mounted out out turning the radio up too load for of sight below the narkage shelf. falls in the front seat (2) combines blower melts winter ice and snow with instrument-panel speaker to form a two-speaker "hi-fi" system for rich.

De Sata's electric clack is located in what the arrount of six yes need for linewise for rearrount manners with the instrument chatter so the driver can see it at a glance, almost without for that dash of elegance. Standard on taking his eyes from the road, Smartly time because it's precision-built and self-adjusting whenever reset.

Soft tinted Soles; aloss filters out barsh

STAINLESS STEEL WHEEL COVERS Stainless steel for durability, cheeses "flashed" for added lastre, nearly studed all Adventurer models, their small

A number of other fine De Sato accessories are available to make your driving more pleasant and . POWER OPERATED RADIO ANTENNA

. MIRROR-MATIC "ELECTRIC EYE" BEAR VIEW MIRROR · TRIAD HORN

. TINTED PLEXIGLASS SUN VISORS

· SPOTLIGHTS . GAS TANK CAP WITH LOCK

in the perfect finishing touch they add

# 1960 DE SOTO Accessory Groups

To make it easier for you to order the optional equipment you want, De Soto has assembled a number of accessory GROUPS. Each group is made up of accessories that normally go together and that most De Soto buyers like to order as a unit.

### ADVENTURER GROUPS

BASIC GROUP No. 1 (Code 305)

HEATER
RADIO
POWER STEERING
POWER BRAKES
DUAL JET WINDSHIELD WASHER
PARKING BRAKE LIGHT
ELECTRIC CLOCK
3-WAY PRISMATIC MIRROR
VANITY MIRROR
LICENSE PLATE FRAME
OUTSIDE REAR VIEW MIRROR
(left side)

BASIC GROUP No. 2 (Code 306)

This group is identical to Adventurer Basic Group No. 1, except that it includes a Remote Control Outside Rear View Mirror in place of the ordinary Outside Rear View Mirror.

## FIREFLITE GROUPS

BASIC GROUP (Code 301)

WHEEL COVERS
DUAL JET WINDSHIELD WASHER
VARIABLE SPEED WINDSHIELD WIPERS
3-WAY PRISMATIC MIRROR
EASY GRIP PLASTIC STEERING WHEEL

# CONVENIENCE GROUP (Code 302)

This group includes all the items in the Fireflite Basic Group plus:
HEATER
RADIO
SAFETY PADDED INSTRUMENT PANEL
VANITY MIRROR
LICENSE PLATE FRAME

## POWER GROUP No. 1 (Code 303)

This group includes all the items in the Fireflite Basic and Convenience groups plus:

POWER STEERING

POWER BRAKES

ELECTRIC CLOCK

BUMPER GUARDS

OUTSIDE REAR VIEW MIRROR

(left side)

# POWER GROUP No. 2 (Code 304)


This group is identical to Fireflite Power Group No. 1, except that it includes a Remote Control Outside Rear View Mirror in place of the ordinary Outside Rear View Mirror.

## LIGHT PACKAGE (Code 371)


GLOVE BOX LIGHT
TRUNK LIGHT
ASH TRAY LIGHT
MAP LIGHT
BACK-UP LIGHTS
PARKING BRAKE LIGHT

# 1960 DE SOTO

# Optional Exterior Trim



- (1) LICENSE PLATE FRAME.
- 2 BUMPER GUARDS (Standard on Adventurer).
- 3 WHEEL COVERS (Standard on Adventurer).
- 4 STONE DEFLECTORS (Fireflite only).
- 3 SILL AND WHEELHOUSE MOULDINGS WITH STONE DEFLECTORS (Standard on Adventurer).
- (6) 4-DOOR ROOF MOULDING PACKAGE (Standard on Adventurer).
- (7) 2-DOOR ROOF MOULDING PACKAGE (Standard on Adventurer).
- (8) FRONT FENDER ORNAMENT.



Your new De Soto can be even more attractive with the addition of selected exterior trim. These styling accents will add to your pleasure in owning a 1960 De Soto—and at surprisingly low cost.



# 4 reasons why you must drive the 1960 De Soto

No single component alone is responsible for the thrilling performance of the 1960 De Soto. There are dozens-perhaps hundreds-of precision mechanisms working together every time you press the accelerator. Of these many parts and systems, four are of special interest:

1. Torsion-Aire Ride. The torsion-bar suspension system has been used for some years on racing cars and on many European sports cars because it is ideal for safe handling on bad roads, around sharp turns, and for fast stops. First brought to U.S. motorists three years ago, Torsion-Aire Ride has been refined and improved each year. It maintains a clear superiority over old-fashioned coil spring systems. It is the most rugged suspension system on any high-performance automobile. And it's exclusive on De Soto in its field. Torsion-Aire makes your De Soto corner flat and steady, free from lean or sway . . . makes it stop straight without nose dive . . . start without rear-end dip. And for your own personal comfort, it is the most luxurious ride in any automobile at any price.

2. High-Performance Engines. De Soto's rugged, precision-built engines range the high-performance spectrum. You may choose the Turboflash. Adventurer, Adventurer Mark I. or the mighty Ram Charge Engine, Each has been quality-engineered for a particular purpose. Each combines a high degree of performance and economy. All 1960 De Soto engines have a new steel spring rear mount which greatly reduces engine noise and vibration.

3. Torqueflite Transmission. Proved dependable in action, De Soto's threespeed Torqueflite automatic transmission converts engine power into "go" power at the touch of a button-quickly, efficiently, and more smoothly than ever before. Gives you the "jump" you need for entering fast-moving traffic and more flexible operation in congested city driving.

4. Rear Axle Ratios. De Soto offers you a choice of two axle ratios-a "highperformance" ratio and an "economy" ratio. You can order the rear axle ratio that fits your kind of driving best.

# 1960 De Soto Specifications

TURBOFLASH (standard all Fireflite models): 8 cylinder, 90 degree V. Valves inclined, in line overhead; intake valve diameter, 1.95"; exhaust valve diameter, 1.60"; bore and stroke, 4.125" x 3.375"; compression ratio, 10 to 1; displacement, 361 cu. in.; 2-barrel carburetor, standard equipment. Taxable hp, 54.4. Premium fuel recommended.

ADVENTURER (standard all Adventurer models): 8 cylinder, 90 degree V. Valves inclined, in line overhead; intake valve diameter, 2.08"; exhaust valve diameter, 1.60", bore and stroke, 4.250" x 3.375"; compression ratio, 10.1 to 1; displacement, 383 cu. in.; 2-barrel carburetor, standard equipment. Taxable hp, 57.8. Premium fuel recommended ADVENTURER MARK I (optional, all Adventurer and Fireflite models); Same as Adventurer,

with 4-barrel carburetor. POWER CHARGE (optional, all Adventurer models): same as Adventurer, with cross-over ram-

induction manifold, dual 4-barrel carburetors, high-peformance camshaft and distributor.

SYNCROMESH (available on special request only, Fireflite models only): 3-speed manual shift; 3-speeds forward and 1 reverse; syncro-silent all-helical gears; single plate dry ventilated clutch. Ratios: first, 2.12; second, 1.43; third, 1.00; reverse, 2.73. POWERFLITE (optional, all Fireflite models): 2-speed fully automatic transmission, hydraulically

actuated; combines torque converter with planetary gears. Ratios: starting, 1.72; drive range (low), 1.72; drive range (direct), 1.00; reverse, 2.39. Control by manually operated pushbuttons (4) mounted on instrument panel. TORQUEFLITE (standard, all Adventurer models; optional, all Fireflite models): 3-speed fully

automatic transmission, hydraulically actuated; combines torque converter with planetary gears. Ratios: starting, 245; drive range (low), 245; drive range (second), 1.45; drive range (direct), 1.00; reverse, 2.20. Control by manually operated pushbuttons (5) mounted on instrument panel. Lubrication, All Models

Full pressure to main, connecting rod and camshaft bearings. Full-flow oil filter standard.

Full-length water jacket, surrounds bores; 4-blade 18" diameter fan; water capacity, 16 quarts (17 quarts with heater)

### Distributor, All Models Single breaker type; mechanical and vacuum controlled automatic advance.

Rear Axle. All Models

Silent-hypoid, semi-floating, TORQUEFLITE: Performance ratio (3.31) or economy ratio (2.93) available at no extra cost. POWERFLITE: Performance ratio (3.31) only,

Isolated from body by rubber bushings.

Suspension System, All Models Torsion-Aire Ride, standard equipment. Combines pre-stressed, tempered steel torsion-bar front suspension with extended-leaf spring rear suspension. Oriflow shock absorbers on all four wheels

### Body, All Models

Fully welded, integrated construction. Immersion-rustproofed in important underbody areas. Finished with bonderizing rustproofing process, two primer coats, two Lustre-Bond enamel coats throughout. Fuel tank capacity (all models), 23 gallons.

Wheelbase (all models), 122"; overall length, (all Fireflite models) 215.4"; (all Adventurer models) 217"; overall width (all models), 79.4"; overall height (all 4-door models) 55"; (all 2-door models) 548"; front tread (all models), 61"; rear tread (all models), 59.7"; orad clearance (all models, with standard load), 6.2".

### Standard Equipment

FIREFLITE: Torsion-Aire Ride, Turboflash V-8 engine, Total Contact brakes, new manually adjustable 6-way front seat, Safety Rim wheels, Oriflow shock absorbers, constant speed electric windshield wipers, front and rear carpets, solenoid shift starter, foam front seat.

ADVENTURER: All Fireflite standard equipment (except that Adventurer V-8 engine replaces Turboflash, and variable speed electric windshield wipers replace constant speed), plus: Torqueflite transmission, safety-padded instrument panel, Easy Grip plastic steering wheel, stainless steel wheel covers, bumper guards, roof mouldings, back-up lights, foam rear seat, chrome interior garnish mouldings, full length sill and wheelhouse mouldings, aluminum seat side shields.

Note: Manufacturer reserves the right to revise, change or modify construction of De Soto motor vehicles, or any part thereof, as he may see fit without incurring any obligation to make like changes on vehicles previously sold.